POPULATION ESTIMATES	LONG-TERM CARE	LOCAL HEALTH DEPARTMENTS			
		Per			
Total 2003 Population 57,850	Community Options and MA Waiver	10, 000			
	as HSRS reports costs for services	Staffing - FTE Number Population			
Population per square mile 57		Total staff 17.8 3.1 Administrative 3.0 0.5			
County ranking in state (1-72) 32	Clients Costs COP 30 \$171,356 MA Waiver *	Administrative 3.0 0.5			
	COP 30 \$171, 356	Public health nurses 6.0 1.0 Other prof. staff 2.3 0.4 Technical/Paraprof. 1.5 0.3 Support staff 5.2 0.9			
Age Female Male Total	MA Waiver *	Other prof. staff 2.3 0.4			
0-14 5, 510 6, 030 11, 540	CI P1A 20 \$1, 145, 818	Techni cal /Paraprof. 1.5 0.3			
15-19 2, 080 2, 230 4, 320	CI P1B	Support staff 5.2 0.9			
20-24 1, 690 1, 920 3, 610	CIP2 12 \$335, 306				
25-29 1,500 1,640 3,130	CI P1A 20 \$1, 145, 818 CI P1B 156 \$2, 319, 196 CI P2 12 \$335, 306 COP-W 132 \$946, 240 CSLA 0 \$0 Brain Injury 3 \$210, 586 Total COP/Wvrs 353 \$4, 957, 146	Fundi ng Per capi ta Total \$1, 397, 369 \$24. 36 Local Taxes \$630, 635 \$10. 99			
30-34 1,660 1,790 3,450	CSLA 0 \$0	Total \$1,397,369 \$24.36			
35-39 1, 970 2, 180 4, 150	Brain Injury 3 \$210,586	Local Taxes \$630, 635 \$10. 99			
40-44 2, 310 2, 580 4, 890	10tai COP/WVFS 353 \$4,957,146				
45-54 4, 260 4, 480 8, 740 55-64 2, 890 2, 840 5, 730	¢E70 204 of the above weiger costs	LI CENSED ESTABLI SHMENTS			
55-64 2, 890 2, 840 5, 730 65-74 2, 160 1, 910 4, 070	\$578,396 of the above waiver costs were paid as Iocal match/overmatch	Typo Capacity Facilities			
75-84 1, 690 1, 250 2, 940	using COP funds. This amount is	Type Capacity Facilities Bed & Breakfast 23 7			
85+ 870 410 1, 280	not included in above COP costs.	Camps 1,795 42			
Total 28, 600 29, 250 57, 850	That The dued the above cor costs.	Hotels, Motels 688 37			
20,000 27,200 37,000	* Waiver costs reported here	Type Capacity Facilities Bed & Breakfast 23 7 Camps 1,795 42 Hotels, Motels 688 37 Tourist Rooming 28 10 Pools			
Age Female Male Total	i ncl ude federal fundi ng.	Pool s 8			
0-17 6, 740 7, 350 14, 090	Ther dae react at Taharing.	Restaurants 274			
18-44 9, 980 11, 020 21, 000	Clients Costs	Vendi ng 0			
45-64 7, 150 7, 320 14, 470	Eligible and				
65+ 4,720 3,570 8,290	Waiting 26 n/a				
Total 28, 600 29, 250 57, 850	Eligible and Waiting 26 n/a				
	(Family Care not provided in county)	WIC PARTICIPANTS			
Poverty Estimates for 2000					
Estimate (C.I.+/-)		Number			
All ages 4, 544 241	Note: Eligible and waiting clients	Pregnant/Postpartum 561			
8. 2% (5%)	will be phased into the COP and MA	Infants 593			
Ages 0-17 1,657 126	Waivers as available.	Infants 593 Children, age 1-4 949 Total 2, 103			
All ages 4,544 241 8.2% (5%) Ages 0-17 1,657 126 11.3% (8%)		Total 2, 103			
		CANCED INCLUENCE (0000)			
EMPLOYMENT	· Hama Haalah Amara'aa	CANCER INCIDENCE (2002)			
Average wage for jobs covered	Home Health Agencies 2	Primary Site			
by unemployment compensation \$28,909		Breast 45			
(place of work)	Patients per 10,000 pop. 123	Cervi cal 2 Col orectal 30			
Annual Labor Force Estimates Average	Nursing Homes 6	Colorectal 30 Lung and Bronchus 37			
Labor Force Estillates Average	Li censed beds 649	Prostate 37			
Civilian Labor Force 31,817	Occupancy rate 88.9%	Other sites			
Number employed 20 925	Nursing Homes 6 Li censed beds 649 Occupancy rate 88.9% Residents on Dec. 31 586	Total 278			
Number unemployed 1 992	Residents age 65 or older	270			
Civilian Labor Force 31,817 Number employed 29,825 Number unemployed 1,992 Unemployment rate 6.3%	per 1,000 population 63	Note: Totals shown are for			
5.15p. 05o.	ps, 656 population	i nvasi ve cancers only.			

			NATA	IITY				
TOTAL LIVE BIRTHS		681	Birth Order First	Births 270	Percent 40	Marital Status of Mother	Bi rths	Percent
Crude Live Birth Rate 11.8		Second	229	3.4	Marri ed	496	73	
General Fertility Rate 60.7		Thi rd	105	15 11	Not married	185	27	
concrai Tortiffty Nate		Fourth or higher		11	Unknown	0	0	
Live births with reported		Unknown	Ó	0	o	ŭ	Ü	
congenital anomalies	1	0 1.5%	S. II. I. O. II. I	· ·	ŭ	Educati on		
congenital anomalites 10 1.5%					of Mother	Bi rths	Percent	
Delivery Type	Bi rths	Percent	1st Prenatal Visit	Bi rths	Percent	Elementary or les	ss 18	3
Vaginal after	Vaginal after		1st trimester	593	87	Some high school	35	5
previ ous cesarean	28	4	2nd trimester	75	11	High school	249	37
			3rd trimester	11	2	High school Some college	205	30
Other vaginal	491 93	72	2nd trimester 3rd trimester No visits Unknown	2	<. 5	College graduate	174	26
Pri mary cesarean	93	14	Unknown	ก	`. 0	College graduate Unknown	.,,	0
Repeat cesarean	67	10	Officiowii	O	O	Officiowit	O	O
Repeat desar carr	0,	10	Prenatal Visits	Ri rths	Percent	Smoking Status		
Bi rthwei ght	Bi rths	Percent	No visits	2	<. 5	of Mother	Bi rths	Percent
<1 500 gm	11	1. 6	1-4	37	5	Smoker	127	19
1 500-2 499 gm	36	5. 3	5-9	306	45	Nonsmoker	554	81
2 500+ am	634	93. 1	10-12	194	28	Unknown	0	0
<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	001	0	13+	142	21	OT II CHOW!	J	J
Gritation	J	J	Unknown	0	0			
			Low Birthweight		Tri mest	er of First Prenatal	Visit	
			(under 2,500 gm)	1st Tr	imester	2nd Trimester	Other/	'Unknown
Race/Ethni ci ty	Births F	ercent	Births Percent	Bi rths	Percent	Births Percent	Ri rthe	Percent
						Dir the Forestit	טוו נווס	. 0. 00
White	662	97	46 6. 9	579	87	70 11	13	2
White Bl ack/Afr. American	662	97 <. 5			87	er of First Prenatal 2nd Trimester Births Percent 70 11 * .	13	2
Black/Afr. American	662 1 4	<. 5 1	46 6. 9 * :	*		70 11	13	2
Black/Afr. American	662 1 4	<. 5 1	*	* 6	100	*	13	2
Black/Afr. American	662 1 4	<. 5 1	* : 1 16.7	* 6 1		* : 	13 * *	2
Black/Afr. American	662	<. 5 1	*	* 6	100	*	13 * * *	2
Black/Afr. American	662 1 4	<. 5 1	* : 1 16.7 * :	* 6 1	: 100 17	* . 5 83 * .	* *	2
Black/Afr. American	662 1 4 6 6 2	<. 5 1 1 1 	*	* 6 1 *	: 100 17 Tri mest	*	* Visit	: : :
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	662 1 4 6 6 2	<.5 1 1 1 <.5 	*	* 6 1 * 	100 17 Tri mest i mester	*	* * Vi si t 0ther/	
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	662 1 4 6 6 2 Fe Bi rths	<.5 1 1 1 <.5 ertility Rate	*	* 6 1 * 	: 100 17 Tri mest	*	* * Vi si t 0ther/	: : :
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	662 1 4 6 6 2 Fe Bi rths	<.5 1 1 1 <.5 ertility Rate 	*	* 6 1 * 1st Tr Bi rths	100 17 Tri mest i mester Percent	*	* Vi si t Other/ Bi rths	'. 'Unknown Percent
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	662 1 4 6 6 2 Fe Bi rths 0 7	<.5 1 1 1 <.5 	t	* 6 1 * 1st Tr Bi rths	100 17 Tri mest i mester Percent 71	*	* Vi si t Other/ Bi rths 1	:
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	662 1 4 6 6 2 Fe Bi rths 0 7 38	<.5 1 1 1 <.5 	t 16.7 1 16.7 * Low Birthweight (under 2,500 gm) Births Percent	* 6 1 * 1st Tr Bi rths . 5 30	100 17 Tri mest i mester Percent 71 79	*	* Vi si t Other/ Bi rths 1	'. 'Unknown Percent 14 3
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	662 1 4 6 6 2 Fe Bi rths 0 7 38 188	<.5 1 1 	*	* 6 1 * 1st Tr Bi rths . 5 30 160	100 17 Tri mest i mester Percent 71 79 85	*	* Vi si t Other/ Bi rths 1 1	'. 'Unknown Percent 14 3 3
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	662 1 4 6 6 2 Fe Bi rths 0 7 38 188 217	<.5 1 1 <.5 	*	* 6 1 * 1st Tr Bi rths . 5 30 160 197	100 17 Tri mest i mester Percent 71 79 85 91	*	* Vi si t Other/ Bi rths 1 1 6 2	'. 'Unknown Percent 14 3 3
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	662 1 4 6 6 2 Fe Bi rths 0 7 38 188 217 158	<.5 1 1 	*	* 6 1 * 1st Tr Bi rths . 5 30 160 197 136	Tri mest i mester Percent 71 79 85 91 86	*	* Vi si t Other/ Bi rths 1 1	'. 'Unknown Percent 14 3 3
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	662 1 4 6 6 2 	<.5 1 1 	*	* 6 1 * 1st Tr Bi rths 5 30 160 197 136 53	100 17 Tri mest i mester Percent 71 79 85 91 86 93	*	* Vi si t Other/ Bi rths 1 1 6 2	'. 'Unknown Percent 14 3 3
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	662 1 4 6 6 2 	<.5 1 1 <.5 	*	* 6 1 * 1st Tr Bi rths . 5 30 160 197 136	100 17 Tri mest i mester Percent 71 79 85 91 86 93 75	*	* Vi si t Other/ Bi rths 1 1 6 2	'. 'Unknown Percent 14 3 3
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	662 1 4 6 6 2 	<.5 1 1 	*	* 6 1 * 1st Tr Bi rths 5 30 160 197 136 53	100 17 Tri mest i mester Percent 71 79 85 91 86 93	*	* Vi si t Other/ Bi rths 1 1 6 2	'. 'Unknown Percent 14 3 3

MORBI DI TY		MO	RTALLTY				
	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.						
Di sease Campyl obacter Enteritis Gi ardi asis Hepatitis Type A Hepatitis Type B** Hepatitis NANB/C Legi onnai re's Lyme Measl es Meni ngi tis, Aseptic Meni ngi tis, Bacterial Mumps Pertussis Sal monel losis Tubercul osis 12 Number 12 12 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16	1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84 85+	aths Rate 1 . 2 . 2 . 5 . 35 .197 36 .628 97 .2,381 123 .4,184 191 .14,972	Sel ected Underlying Cause Deaths Rate Heart Di sease (total) 115 199 I schemic heart di sease 82 142 Cancer (total) 122 211 Trachea/Bronchus/Lung 36 62 Col orectal 8 . Femal e Breast 6 .* Cerebrovascul ar Di sease 30 52 Lower Resp. Di sease 29 50 Pneumoni a & Infl uenza 24 41 Acci dents 34 59 Motor vehi cl e 9 . Di abetes 15 . Infect. /Parasi ti c Di s. 8 . Sui ci de 5				
 * 2003 provisional data. ** Includes all positive HBsAg test results. 	Mortality Dea Total Infant Neonatal Postneonatal Unknown	aths Rate 5 . 2 . 3 .	* Based on female population. ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH				
Sexually Transmitted Disease Chlamydia Trachomatis 82 Genital Herpes 18 Gonorrhea 18 Syphilis 0	Race of Mother White Black Hispanic Laotian/Hmong Other/Unknown	4	Al cohol 7 . Other Drugs 82* 142 Both Mentioned 5 . * Includes tobacco use (see page 7) MOTOR VEHICLE CRASHES Note: These data are based on location				
Children in Grades K-12 by Compliance Level Compliant 9,617 Non-compliant 21 Percent Compliant 99.8	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown Perinatal Mortality Total Perinatal Neonatal Fetal	aths Rate	of crash, not on residence. Type of Motor Persons Persons Vehicle Crash Injured Killed Total Crashes 506 7 Alcohol-Related 78 3 With Citation: For OWI 49 1 For Speeding 42 0 Motorcyclist 13 0 Bicyclist 2 0 Pedestrian 6 0	5 dd 77 dd 7			

			- 2003 HOSP	ITALIZATIONS					
	Per Aver	rage	Charge	1		Per	Average		Charge
DI SEASE /	1, 000 St	taў Average		DI SEASE /		1,000	Staÿ	Average	
AGE GROUP Number		ays) Charge		DI SEASE / AGE GROUP	Number	Pop	(Days)		Capi ta
						-	(=) - /	3.	
Injury-Related: All				Al cohol -Rel ated					
Total 583	10. 1	4. 4 \$15, 167	\$153	Total	231	4.0	4. 2	\$3, 697	\$15
Total 583	3. 8	2. 8 \$10, 958	\$41	18-44	131	6. 2	4. 4	\$3, 502	\$22
18-44 118	5.6	4. 3 \$18, 288	\$103	45-64	82	5. 7	3. 7	\$3, 974	\$23
18-44 118 45-64 134		4. 0 \$14, 621	\$135	Pneumonia and I		5. 7	5. 7	Ψ5, 774	Ψ23
65+ 278	33. 5	5. 0 \$14, 908	\$500	Total	293	5. 1	4. 3	\$9, 076	\$46
Injury: Hip Fracture	33. 5	J. U \$14, 900	\$300	<18	35	2. 5	2. 1	\$3, 327	\$40 \$8
Total 87	1.5 5	5. 4 \$16, 677	\$25	45-64	59	4. 1	5. 1	\$3, 327 \$12, 486	\$51
		D. 4 DIO, 077		65+	187				
	8. 9	5. 5 \$16, 409	\$146			22. 6	4. 6	\$9, 245	\$209
Injury: Poi soni ngs	0.0))	фΕ	Cerebrovascul ar		2 7	4.0	¢10 744	#20
Total 46		3. 2 \$6, 744	\$5	Total	158	2. 7	4.0	\$13, 744	\$38
18-44 18	•		•	45-64	28	1. 9	3. 7	\$17, 351	\$34
				65+	128	15. 4	4. 1	\$12, 595	\$195
Psychi atri c				Chronic Obstruc		nonary_D	i sease		
Total 312	5.4	3. 7 \$6, 574	\$35	Total	157	2. 7	3. 4	\$6, 772	\$18
<18 67		0. 5 \$7, 074	\$34	<18	19				
18-44 130	6. 2 10	0. 2 \$7, 376	\$46	<18 18-44 45-64 65+	12				
45-64 63	4.4	5. 5 \$5, 316	\$23	45-64	34	2. 3	3.8	\$8, 797	\$21
65+ 52	6.3	5. 2 \$5, 449	\$34	65+	92	11. 1	3. 7	\$6, 924	\$77
				Drug-Rei ated					
Coronary Heart Disease				Total	48	0.8	8. 2	\$5, 667	\$5
Total 421	7.3	4. 2 \$24, 778	\$180	18-44	26	1. 2	4. 9	\$3, 527	\$4
45-64 139	9.6	3. 6 \$25, 512	\$245						
65+ 266	32. 1	4. 5 \$24, 123	\$774	Total Hospitali	zations				
			****	Total	7. 362	127. 3	3. 9	\$10, 749	\$1, 368
Malignant Neoplasms (Ca	ancers): All			<18	1, 205	85. 6	3. 1	\$4, 579	\$392
Total 275		5. 4 \$19, 166	\$91	18-44	1, 735	82. 6	3. 2	\$8, 197	\$677
18-44	1. 0	σ. τ φτη, του	Ψ71	45-64	1, 549	107. 0	3. 9	\$13, 498	\$1, 445
45-64 88	6.1	5. 2 \$18, 591	\$113	65+	2, 873	346. 6	4.6	\$13, 396	\$4,643
65+ 166	20. 0	5. 5 \$18, 715	\$375	091	2,073	340. 0	٦. ٥	Ψ13, 370	Ψτ, Οτο
Neoplasms: Female Bre	20.0 toatee	for female n	nonulation)	PR	FVFNTARI E	HUSDIT	ΔΙΙΖΛΤΙ	ONS*	
Total 25		2. 0 \$10, 436	\$9	Total	1, 044	18. 0	3. 8	\$7, 902	\$143
Neoplasms: Colo-recta		2. U Φ1U, 430	ФЭ	10tai <18	1, 044	8.8	2. 0	\$7, 902 \$2, 915	
	II م م	7 4 422 400	\$13	< 10 10 44	93	8. 8 4. 4		\$2, 915 \$6, 559	\$26 \$29
	0.6	7. 6 \$22, 608		18-44 45-64			2. 7		
65+ 24	2. 9	8. 1 \$24, 287	\$70	45-64	211	14.6	4. 3	\$10, 425	\$152
Neoplasms: Lung	0.4	7 0 004 475	#40	65+	616	74. 3	4. 2	\$8, 244	\$613
Total 25	0. 4	7. 2 \$24, 175	\$10						
Di abetes				* Hospitalizations	for cond	li ti ons	where t	ımely and	effecti ve
Total 67	1. 2	4. 6 \$14, 118	\$16	ambulatory care ca	n reduce	the lik	el i hood	of hospi	tal i zati on.
65+ 26	3. 1	5. 0 \$13, 620	\$43						